$\mathcal{L}$
н. 🖰
s urse. <b>THIS</b> at the initiati
from the
specific
vas included
nents noted
CE OF
iner.
·
k) of
the
)
/ . 글.
e
•

Application/Control Number: 09/902,674

Art Unit: 1731

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claims 14-19 have been cancelled.

In claim 11 line 2 of, "ofsaid" was deleted and - - of said- - was inserted.

In claim 13 line 2, "ofbase" was deleted and - - of base- - was inserted.

In claim 13, line 12, "said heating device" was deleted and - - said kiln- - was inserted.

The following is an examiner's statement of reasons for allowance: the primary reason for allowing the instant claims is that the cited prior art fails to disclose or reasonably suggest steps e-k of claims 1 and 13. The closest prior art (For your Home, article from stainedglassart.com) only discloses placing stringer and chip glass onto a glass sheet and then heating the glass sheet, stringer glass and chips such that the surfaces pieces fuse onto the glass sheet.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. References A-H, N and the non-patent literature cited in PTO-892 have been cited to show the state of the art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carlos Lopez whose telephone number is (703) 605-1174 and after Dec. 18 2003 calls should be directed to (571) 272-1193. The examiner can normally be reached on Mon.-Fri. 8am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on (703) 308-1164 and after Dec. 18 2003 calls should be directed to (571) 272-1189. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

STEVEN P. GRIFFIN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700

CL